



Size

MIN LENGTH	mm
MAX LENGTH	mm
MIN. THICKNESS	mm
MAX. THICKNESS	mm
AVERAGE THICKNESS	mm

Size

ROW LENGTH	mm
LENGTH	1260 mm
WIDTH	180 mm
MIN. THICKNESS	mm
MAX. THICKNESS	mm

Size **Pack**

PACK LENGTH	1270 mm
PACK WIDTH	190 mm
PACK THICKNESS	130 mm
LAYERS/PACK	8
M²/PACK	1.81 m ²

Characteristics

WOOD SPECIES	Oak
LATIN NAME	Quercus Mongolica
GRADE	CLASSIC
STRIPS	90 x 90 mm

CONSTRUCTION	2-layer
TOTAL THICKNESS SUPPORT	11 mm
SURFACE STRUCTURE	Axe split
BEVEL	No bevel
COLOUR FINISH	Invisible oiled

Installation

RESANDABLE	Not resandable
APPLICATIONS	Light household use Moderate commercial use Normal household use

Certification

This product conforms to CE standard EN 14342:2005 + A1: 2008 - Level 4 for flooring type BS EN 13489:2002 (Wood and parquet flooring, Multilayer parquet)

- Formaldehyde emission, determined according to standard EN 13183-1: E1
- Moisture content, determined according to standard EN 13183-1: 10% (+ / -2%). Fits in dry areas with a moisture content of 50% to 60%
- Width Shrinkage, complies with standard EN 13647
- Reaction to fire, determined according to standard EN 13501-1: Dfl-S1
- Does not contain any PCP (pentachlorophenol)

Technical specifications

- Hardness: N / mm² (Birrell Hardness) 3.40
- Thermal conductivity: λ 14, 00 (W / (mk)) R = 0.11 m² K / W

Additional tests:

- Tested for delamination and stability according to standard EN1910 (cf. 15-189-BRUT CLASSIC)
- The bonding was tested according to EN311 standard (see 15-189-BRUT CLASSIC)